

#### **Tubular Ball Mounts**

# **EXECUTE**

IMT202XI

- •1" ball hole
- •Fits 2" standard receivers
- •Uses %" pin & clip (not included)
- •Tongue Weight is 10% of capacity
- •Length is measured from pin hole to ball hole
- •Heavy duty Black Powder Coated tubular steel

	2" Drop Tubula	ar Ball Mounts	
HMT202	2" drop, 7½" long	7,500 lb capacity	\$ <b>19.</b> 95
HMT202L	2" drop, 101/4" long	7,500 lb capacity	\$ <b>25.</b> 95
HMT202XL	2" drop, 12¼" long	7,500 lb capacity	\$32.95
4	4" Drop Tubula	ar Ball Mounts	
HMT204	4" drop, 8¼" long	7,500 lb capacity	\$23.95
HMT204L	4" drop, 10¼" long	7,500 lb capacity	\$26.95
HMT204XL	4" drop, 13" long	7,500 lb capacity	\$39.95
	6" Drop Tubula	ar Ball Mounts	
HMT206	6" drop, 9¼" long	7,500 drop, 6,000 rise	\$34.95
HMT206L	6" drop, 12¼" long	7,500 drop, 6,000 rise	\$43.95
HMT206XL	6" drop, 14¼" long	7,500 drop, 6,000 rise	\$48.95
8-10" Drop Tubular Ball Mounts			
HMT208	8" drop, 11½" long	5,000 drop, 3,500 rise	\$46.95
HMT208L	8" drop, 13" long	5,000 drop, 3,500 rise	\$ <b>49.</b> 95
HMT210	10" drop, 13" long	5,000 drop, 3,500 rise	\$ <b>59.</b> 95

#### 10K Tubular Ball Mounts





- •1¼" ball hole
- •Fits 2" standard receivers
- •Uses 5/8" pin & clip (not included)

HMT232	2" drop, 8½" long	10,000 lb capacity	\$ <b>45.</b> 95
HMT234	4" drop, 9" long	10,000 lb capacity	\$ <b>57.</b> 95
HMT236	6" drop, 9" long	10,000 lb capacity (drop only)	\$ <b>63.</b> 95

## **Forged Aluminum Ball Mount**

# **CURT**

- •1" ball hole
- •Fits 2" standard receivers
- •Uses %" pin & clip (not included)
- •Solid aluminum shank
- See page 14 for Stainless Steel hitch balls with 1" shank

HMSA201 2" drop, 8½" long, 8,000 lb capacity

#### **Loaded Ball Mounts**



- •Fits 2" standard receivers
- •Includes factory torqued 2" trailer ball & %" pin & clip

HMT272	2" drop, 7½"length	7,500/750	\$ <b>36.</b> 95
HMT274	4" drop, 81/4" length	7,500/750	\$ <b>37.</b> 95

#### **Solid Steel Ball Mounts**



2" Drop Solid Steel Ball Mounts HMS202 2" drop, 81/2" long 16,000 lb capacity \$61.95 HMS202L 2" drop, 101/4" long 16,000 lb capacity \$67.95 4" Drop Solid Steel Ball Mounts HMS204 4" drop, 95%" long 16,000 lb capacity \$69.95 16,000 lb capacity HMS204L 4" drop, 11%" long \$77.95 6" Drop Solid Steel Ball Mount

HMS206 6" drop, 10¾" long 16,000 lb capacity \$82.95 8" Drop Solid Steel Ball Mount **HMS208** 8" drop, 10" long 12,000 lb capacity \$95.95

## **Forged Ball Mounts**



•Uses %" pin & clip (not included)

•Length is r	•Length is measured from pin hole to ball hole			
HMS902	2" drop, 7%" long	20,000/2,000 lb capacity	\$40.95	
HMS922	2" drop, 8½" long	17,000/2,550 lb capacity	\$70.95	
HMS904	4" drop, 7%" long	20,000/2,000 lb capacity	\$ <b>49.</b> 95	
HMS924	4" drop, 8½" long	17,000/2,550 lb capacity	\$88.95	
HMS906	6" drop, 9%" long	17,000/1,700 lb capacity	\$ <b>55.</b> 95	
HMS926	6" drop, 9½" long	17.000/2.550 lb capacity	\$101.95	



## **Triple Tow Ball Mounts**



- •1%", 2", and 25/16" hitch balls
- •Fits 2" standard receivers
- •Uses 5/8" pin & clip (not included).
- •HMT20TL has a tubular shank
- •HMS20T0 has chrome balls and a 7,500 lb cast steel pintle jaw
- •HMS20TP has a cushioned draw bar to give you smoother towing

ITEM#	Ball Type	2 <sup>5</sup> / <sub>16</sub> "	2"	17/8"	Price
HMT20TL	Black	10,000	7,500	5,000	\$68.95
HMS20TL	Black	10,000	7,500	5,000	\$ <b>73.</b> 95
HMS20TH	Black	16,000	10,000	2,000	\$104.95
HMS20TC	Chrome	10,000	7,500	5,000	\$103.95
HMS20T0	Pintle	10,000	7,500	6,000	\$130.95
HMS20TP	Cushion	10,000	10,000	2,000	\$ <b>162.</b> 95

#### **Double Tow Ball Mounts**



- •Fits 2" standard receivers
- •Uses %" pin & clip (not included)

HMTD201	2" ball on top, 25/16" ball on bottom (6,000 lb)	\$ <b>51.</b> 95
HMSD201	2"(7,500 lb) & 25/16"(10,000) ball, solid shank	\$ <b>79.</b> 95
HMSD202	2"(10,000 lb) & 25/16"(16,000) ball, solid shank	\$ <b>67.</b> 95

## **Cushioned Ball Mounts**



- •Internal polypropylene cushions act as shock absorbers
- Fits 2" standard receivers
- •Uses %" pin & clip. (Not included)
- •2,000 lb tongue weight


HCM2	2" drop	1" ball hole	10,000 lb	\$84.95
HCMH2	2" drop	1¼" ball hole	14,000 lb	\$121. <sup>95</sup>

#### **ATV Ball mount**



HMATVS4	Fits 2" ATV recei	you has 2" hall	\$48 95
HIVIAI V 54	Firs / A L V recei	ver nas z. nau	348 23

## **Calculating Ball Mount Drop Needed**



**3.** Subtract trailer coupler height from receiver tube height to calculate amount of ball mount drop needed. (Opposite for rise) (Be sure to figure in the vehicle sag that will occur when trailer tongue weight is applied to vehicle)





## **Pin Style Aluminum Ball Mounts**

# FASTWAY HMSA706 • Fits 2" standard receivers Polished aluminum Stunning good looks ·Lightning quick adjustment • Can be flipped under vehicle •2" ball: 8,000 GTW, 1,000 TW •25/16" ball: 10,000 GTW, 1,000 TW

•1 year warra	anty	TIMOATUU
HMSA704	4" drop	\$240.00
HMSA706	6" drop	\$240.00
HMSA708	8" drop	\$240.00
HMSA710	10" drop	\$240.00
HMSA700	Keyed-Alike Locking Pin Set	\$ <b>51.</b> 95

## **Integrated Scale Aluminum Ball Mounts**



- Proper tongue weight gives better steering, braking, & reduced sway
- •2" ball: 8,000 GTW, 800 TW
- •25/16" ball: 10,000 GTW, 1,000 TW
- •1 year warranty

HMSA804	4" drop	\$340.00
HMSA806	6" drop	\$340.00
HMSA808	8" drop	\$350.00
HMSA809	10" drop	\$350.00
HMSA700	Keyed-Alike Locking Pin Set	\$51. <sup>95</sup>

## **Locking Aluminum Ball Mount**

HMSA406



- •Fits 2" standard receivers
- Polished aluminum
- •2" & 25/16" balls
- •Built-in anti-rattle
- •Built-in receiver lock with keys
- Can be flipped under vehicle
- •10,000/8,000 GTW, 1,000 TW
- •1 year warranty

\$280.00 HMSA406 6" drop

#### 180° Aluminum Ball Mounts



- Stainless steel balls
- •180° model does not include built-in tongue weight scale
- Includes dual pin lock assembly and keyed alike SS receiver lock
- •Limited Lifetime Warranty

•Limited Lifet	illic wallality	
HMSW704	4" drop	\$299.00
HMSW706	6" drop	\$299.00
HMSW708	8" drop	\$319.00
HMSW710	10" drop	\$339.00

#### **Aluminum Ball Mounts**



HMSW806 •Fits standard 2" receiver

- •2"ball: 8,000 GTW, 1,500 TW
- •2 5/16" ball: 12,500 GTW, 1,500 TW
- •Built-in tongue weight scale
- · Aluminum shank
- Stainless steel balls
- •Includes dual pin lock assembly and keyed alike SS receiver lock
- •Limited Lifetime Warranty

HMSW804	4" drop	\$339.00
HMSW806	6" drop	\$359.00
HMSW808	8" drop	\$369.00
HMSW810	10" drop	\$389.00

#### Combo Hitch Lock



HMSW700	Replacement receiver and dual pin lock	\$50.00
HMSW701	Dual pin key lock assembly only	\$20.00



#### **GEN-Y Phantom-X Ball Mounts**



- •Fits 2" standard receivers
- •Uses %" pin and clip (not included)
- •Ball plate has 1" ball hole
- •Light weight, tough, durable
- •100% Satisfaction Guaranteed!
- •Limited Lifetime Warranty

HMSG053X	7,000 GTW	700 TW	4.5" drop	\$ <b>139.</b> 99
HMSG054X	7,000 GTW	700 TW	7" drop	\$ <b>149.</b> 99

## **GEN-Y Glyder Torsion Ball Mounts**



- •Heavy duty rubber torsion-flex cords
- •100% Satisfaction Guaranteed!
- •5-year torsion warranty; Lifetime workmanship warranty!

HMSG12001 7,000 GTW	400-700 TW	2" drop	\$209.99
HMSG12005 7,000 GTW	400-700 TW	6" drop	\$ <b>249.</b> 99

## **Adjustable Ball Mounts**





- Fits standard 2" receivers
- •Uses %" pin and clip (not included)
- •11" drop with ball plate down, and in lowest hole
- ${}^{\bullet}\text{Adjustable}$  ball mounts can be used in rise position
- •Ball plate attaches with two %" pins for easy adjustment
- •Tongue weight rating is 10% of capacity

HMT20A	1" ball hole, 13" length, 6,000 lb capacity	\$ <b>59.</b> 95
HMS210A	1" ball hole, 12¾" length, 10,000 lb capacity	\$116. <sup>95</sup>
HMT20B	Extra ball plate for HMT20A	\$35.95

## **GEN-Y Mega-Duty Ball Mounts**



- •Fits 2" standard receivers
- Super heavy duty construction
- •2" and 25/16" balls, and pintle all in 1 unit
- •100% Satisfaction Guaranteed!

HMSG324	10,000/10,000 GTW	1,500 TW	7.5" drop	\$311.99
HMSG523	16,000/10,000 GTW	2,000 TW	5" drop	\$332.99
HMSG524	16,000/10,000 GTW	2,000 TW	7.5" drop	\$345.99
HMSG525	16,000/10,000 GTW	2,000 TW	10" drop	\$367.99
HMSG090	1%" add-on ball for Ge	en-Y ball mou	ints	\$22.99
HMSG032	2" Replacement Pintle	Lock		\$50.99
HMSG099	%" replacement pin, 4	⅓" usable leng	gth	\$15.99

#### **GEN-Y Boss Torsion Ball Mounts**



- •Fits 2" standard receivers
- Super heavy duty construction
- •Heavy duty rubber torsion-flex cords
- Choose model according to TW for optimum performance
- •Built-in mechanical tongue weight indicator
- •2" and 25/16" balls, and pintle all in 1 unit
- •2" ball is rated to 10,000 GTW
- •100% Satisfaction Guaranteed!
- •5-year torsion warranty; Lifetime workmanship warranty!

HMSG1024	10,000 GTW	500-1,100 TW	5" drop	\$676.99
HMSG1225	16,000 GTW	800-1,700 TW	7.5" drop	\$756.99
HMSG090	90 11/8" add-on ball for Gen-Y ball mounts			
HMSG032	2" Replacement F	Pintle Lock		\$50.99
HMSG099	5⁄8" replacement p	oin, 4⅓" usable leng	th	\$ <b>15.</b> 99





## **Adjustable Ball Mounts**

# **EXECUTE**







- Fits standard 2" receiver
- •Includes 5%" receiver pin and clip
- •2 pin holes give the option of 10¼" or 11¼" length

HMSD205	6" drop, 2" & 25/16" balls & shank, 14,000	\$ <b>229.</b> 95
HMSD206	10" drop, 2" & 25/16" balls & shank, 14,000	\$430.95
HMSD209	6" drop, 25/16" duplex pintle & shank, 13,000	\$313. <sup>95</sup>
HMSD217	2" Duplex Pintle only, 10,000 lb capacity	\$ <b>176.</b> 95
HMSD216	25/16" Duplex Pintle only, 13,000 lb capacity	\$1 <b>81.</b> 95
HMSD218	Adjustable Shank only, 14,000 lb capacity	\$ <b>139.</b> 95
HMSD213	Locking Pin Set (receiver and channel)	\$ <b>97.</b> 95
HMSD312	Replacement pair of pins	\$26. <sup>95</sup>

#### **Rebellion Cushioned Ball Mount**







- •Fits 2" receiver
- Cushioned with heavy duty ShockDrop™ technology
- •Dampens jerking and jarring for smoother tow
- •6" drop, shank cannot be used upside down
- •HMSD236 has standard 3%" by 1¾" bolt pattern, 4 bolts included

HMSD230	6" drop, 2" & 25/16" balls & shank, 15,000	\$ <b>449</b> .95
HMSD236	Pintle mount plate for HMSD230	\$83.95

## 2" Adjustable Ball Mounts




- •Fits 2" receiver
- •Built-in anti-rattle helps promote quiet towing
- •Dual ball can be used on other weight distributing shanks
- •¾" holes in ball head spaced 2½" center to center

ITEM#	Drop	25/16"	2"	Price
HMSD360	5½" drop	15K	10K	\$ <b>219.</b> 95
HMSD362	10" drop	15K	10K	\$ <b>299.</b> 95
HMSD361	Replacement	dual ball hea	d with pins	\$ <b>139.</b> 95

## **Tow & Stow**





- •Stows under vehicle when not in use
- •Ball Ratings: 1%" (3500 lb), 2" (7500 lb) & 25/16" (10,000 lb)
- •HMSB001- not intended to be used as a ball mount

ITEM#	MFG#	Color	Drop	Ball Sizes	Price
HMSB331	TS10033B	Black	3"	2", 25/16"	\$ <b>239.</b> 95
HMSB471	TS10047B	Black	3"	1%", 2", 25/16"	\$249.00
HMSB371	TS10037B	Black	5"	2", 25/16"	\$ <b>269.</b> 95
HMSB481	TS10048B	Black	5"	1%", 2", 25/16"	\$279.00
HMSB401	TS10040B	Black	7"	2", 25/16"	\$299.00
HMSB491	TS10049B	Black	7"	1%", 2", 25/16"	\$309.00
HMSB431	TS10043B	Black	9"	2", 25/16"	\$349.00
HMSB371C	TS10037C	Chrome	5"	2", 25/16"	\$329.00
HMSB481C	TS10048C	Chrome	5"	1%", 2", 25/16"	\$339.00
HMSB001	TS35100B	Draw bar	Attach	ment for 2" Tow & Stow	<b>\$74.</b> 95
HMSB101	TS35010	Replacem	ent Pin	& Clip for Tow & Stow	\$12. <sup>95</sup>



### Adjustable/Convert-A-Ball Ball Mounts











- •HPH1: Stainless steel 3-ball combination & pintle sleeve; 10,000GTW/2,000TW with interchangeable balls; 25,000GTW/5,000TW with pintle sleeve; mounting hardware included.
- •Shank bars available in other sizes, see page 141

	1 0	
HW030	Cushioned shank bar, 10,000/2,000	\$ <b>157.</b> 95
HW032	Ball mount adapter, 1" ball hole, 10,000/2,000	\$ <b>45.</b> 95
HW034	Clevis pin adapter, 1"ball/pin hole, 10,000/2,000	\$61.95
HW036	Pintle 4-bolt adapter plate, 10,000/2,000	\$ <b>51.</b> 95
HW039	Pair of 3/4" pins & clips for HW032/34/36	\$12.95
HPH1	Pintle convert-a-ball combo	\$333.95

#### **Clevis Mounts & Receiver Tow Hooks**





HATH327



- •Fits 2" receiver unless noted otherwise
- •Do not exceed receiver hitch capacity
- •Clevis Mounts: 1" clevis holes

8

• Use 5%" receiver pin & clip (not included)

· 03C /8 1CCC	civer pin & crip (not included)	
HMS20C	Solid steel clevis mount, 8K	\$ <b>49.</b> 95
HCMCC	Cushioned clevis mount, 10K	\$100.95
HARPP1	1" Clevis tongue pin, poly-coated handle	\$10. <sup>95</sup>
HATH5	Forged tow hook	\$ <b>58.</b> 95
HATH12	Forged tow eye, 10K straight line pull	\$ <b>46.</b> 95
HATH326	2" receiver ¾" shackle, 9,500 WLL	\$ <b>74.</b> 95
HATH327	*21/2" receiver* 3/4" shackle, 13,000 WLL	\$ <b>76.</b> 95

## **GEN-Y Bolt-On Adjustable Hitch**





- •Bolt or weld to your truck
- •Super heavy duty construction
- •2" and 25/16" balls, and pintle all in 1 unit
- •2 pins included
- •100% Satisfaction Guaranteed!

HMSG124	16,000/10,000 GTW, 2,000 TW	7½" drop	\$367.99
HMSG032	2" Replacement Pintle Lock		\$50.99
HMSG099	%" replacement pin, 41%" usable le	ength	\$15.99

#### **FLASH Steel Ball Mounts**





- •Fits 2" standard receivers
- Glossy black powder coated
- •2" and 25/16" balls
- •No tools needed to adjust height
- Solid forged steel construction
- •1 year warranty

HMSD706	6" drop	12,000/8,000 GTW	1,200 TW	\$240.00
HMSD710	10" drop	12,000/8,000 GTW	1,200 TW	\$240.00
HMSD700	Keyed-Ali	ke Locking Pin Set		\$ <b>51.</b> 95

#### Class 1 & 2 Ball Mounts



HMS125

- •Fits standard 1¼" receiver
- •¾" ball hole
- •Uses ½" pin & clip (not included)
- •3,500 lb Gross Trailer Weight
- •Length is measured from pin hole to ball hole

HMS122	1¼" drop	7" long	\$38.95
HMS122L	1¼" drop	9¾" long	\$38.95
HMS124	3½" drop	7¼" long	\$42.95
HMS124L	4" drop	10" long	\$32.95
HMS125	5" rise only	10" long	\$30.95
HMS126	6¾" drop	7¼" long	\$ <b>47.</b> 95



#### 21/2" Ball Mounts



•Length is m	easured fro	om pin hole	to ball hole	
HMT252	2" drop	8½" long	16,000GTW, 1,600TW	\$68.95
HMT254	4" drop	95/8" long	16,000GTW, 1,600TW	\$ <b>72.</b> 95

 HMT254
 4" drop
 95%" long
 16,000GTW, 1,600TW
 \$72.95

 HMT256
 6" drop
 10¾" long
 16,000GTW, 1,600TW
 \$88.95

 HMT258
 7¾" drop
 10" long
 15,000GTW, 1,500TW
 \$65.95

## 21/2" Forged Ball Mounts

HMS954

# **CURT**

- •Fits 2½" receiver
- •1¼" ball hole
- •Uses 5%" pin & clip. (not included)
- •Length is measured from pin hole to ball hole

HMS952	2" drop	8½" long	20,000GTW, 2,700TW	\$ <b>91.</b> 95
HMS954	4" drop	8½" long	20,000GTW, 2,700TW	\$ <b>96.</b> 95
HMS956	6" drop	9" long	20,000GTW, 2,700TW	\$ <b>139.</b> 95
HMS958	8" drop	10" long	20,000GTW, 2,700TW	\$1 <b>69.</b> 95

## 2½" Triple Tow Ball Mounts



- •Fits 2½" receiver
- •Uses %" pin & clip (not included).
- •HMS25TP: cushioned draw bar to give you smoother towing
- •HMT25TL: 7½" shank for 1%" ball, 8¾" shank for 2" and 25/16" ball
- •Does not fit all Ford OEM hitches

ITEM#	Ball Type	25/16"	2"	1%"	Price
HMT25TL	Black	14,000	10,000	2,000	\$ <b>69.</b> 95
HMS25TP	Cushion	10,000	10,000	2,000	\$ <b>204.</b> 95

#### 21/2" Cushioned Ball Mounts





- •Fits 21/2" receiver
- •1¼" ball hole
- •Uses %" pin & clip. (not included)
- •Enclosed polypropylene cushions act as shock absorbers and reduce bouncing and jerking, giving you and your pickup a smoother ride.

HCMV252	2" drop	9" long	18,000GTW/2,000 TW	\$1 <b>33.</b> 95
HCMV254	4" drop	9½" long	18,000GTW/2,000 TW	\$143.95

## 2½" Adjustable Ball Mounts

# **EXECUTE**



- Fits 21/2" receiver
- •Built-in anti-rattle helps promote quiet towing
- •Dual ball can be used on other weight distributing shanks
- •¾" holes in ball head spaced 2½" center to center
- •HMSD372: not intended for use in rise position

ITEM#	Drop	25/16"	2"	Price
HMSD370	5½" drop	20K	10K	\$289.95
HMSD372	11¾" drop	20K	10K	\$359. <sup>95</sup>

#### 21/2" FLASH Steel Ball Mounts







HMSD750

- •Fits 2½" receiver
- •No tools needed to adjust height
- •Solid forged steel construction
- Glossy black powder coated
- •2" and 25/16" balls

HMSD756	20,000/12,000 GTW	2,000 TW	6" drop	\$270.00
HMSD759	20,000/12,000 GTW	2,000 TW	10" drop	\$270.00
HMSD750	Locking pin set for rec	eiver and ball	ladjustment	\$58.95



#### 21/2" Tow & Stow



- •Stows under vehicle when not in use
- •Ball Ratings: 11/8" (3,500 lb), 2" (7,500 lb) & 25/16" (18,000 lb)

ITEM#	MFG#	Color	Drop	Ball Sizes	Price
HMSB372	TS20037B	Black	5"	2", 25/16"	\$309.00
HMSB482	TS20048B	Black	5"	1%", 2", 25/16"	\$319.00
HMSB402	TS20040B	Black	7"	2", 25/16"	\$349.00
HMSB492	TS20049B	Black	7"	1%", 2", 25/16"	\$359.00
HMSB432	TS20043B	Black	9"	2", 25/16"	\$389.00
HMSB002	TS35200B	Draw bar A	Attachr	nent for 21/2" Tow & Stow	\$86.95

## 21/2" Locking Aluminum Ball Mounts



•1 year warranty

\$310.00 HMSA506 6" drop

## 21/2" 180° Aluminum Ball Mounts



- •25/16" ball: 18,500 GTW, 2,200 TW
- •Stainless steel balls
- •Aluminum shank
- $\bullet 180^{\circ}$  model does not include built-in tongue weight scale
- •Includes dual pin lock assembly and keyed alike receiver lock
- •Limited Lifetime Warranty

HMSW756	6" drop	\$329.00
HMSW758	8" drop	\$349.00
HMSW759	10" drop	\$369.00

## 21/2" MultiPro Tow & Stow



	-			•	-
ITEM#	MFG#	Color	Drop	Ball Sizes	Price
HMSB404	TS20066BMP	Black	7"	2", 25/16"	\$389.00

## 2½" Pin Style Aluminum Ball Mounts



HMSA756 6" drop \$270.00 HMSA758 8" drop \$270.00 HMSA759 10" drop \$270.00 Keyed-Alike Locking Pin Set \$58.95 HMSA750

#### 21/2" Aluminum Ball Mounts



•Includes dual pin lock assembly and keyed alike receiver lock

•Limited Lifetime Warranty

•1 year warranty

Diffice di Dire		
HMSW856	6" drop	\$379.00
HMSW858	8" drop	\$389.00
HMSW859	10" drop	\$409.00





## 21/2" GEN-Y Mega-Duty Ball Mounts



- •Fits 21/2" receiver
- •Super heavy duty construction
- •2" and 25/16" balls, and pintle all in 1 unit
- •100% Satisfaction Guaranteed!

HMSG623	6" drop	21,000/10,000 GTW	3,000 TW	\$449.99
HMSG624	9" drop	21,000/10,000 GTW	3,000 TW	\$459.99
HMSG090	1%" add-on ball for Gen-Y ball mount			\$22.99
HMSG062	2½" Replacement Pintle Lock			\$63.99
HMSG099	%" replacement pin, 4%" usable length			\$15.99

#### 21/2" GEN-Y Boss Torsion Ball Mounts



- •Fits 21/2" standard receiver
- •Super heavy duty construction
- •Heavy duty rubber torsion-flex cords
- Choose a model to match your TW for optimum performance
- •Built-in mechanical tongue weight indicator
- •2" and 25/16" balls, and pintle all in 1 unit
- •2" ball is rated to 10,000 GTW
- •100% Satisfaction Guaranteed!
- •5-year torsion warranty; Lifetime workmanship warranty!

7		,	I	
HMSG1124	5" drop	16,000 GTW	1,000-1,700 TW	\$ <b>791.</b> 99
HMSG1125	7½" drop	16,000 GTW	1,000-1,700 TW	\$814.99
HMSG1324	6" drop	21,000 GTW	1,500-2,400 TW	\$ <b>917.</b> 99
HMSG1325	9" drop	21,000 GTW	1,500-2,400 TW	\$951.99
HMSG090	1%" add-o	\$22.99		
HMSG062	2½" Replacement Pintle Lock			\$63.99
HMSG099	5%" replace	ement pin, 41/8" i	usable length	\$15.99

## 21/2" Adjustable Ball Mounts



- •Fits 21/2" receiver
- •Includes 5/8" receiver pin and clip
- •2 pin holes gives the option of 11" or 12" length

HMSD305	6" drop, 2" & 25/16" balls with shank, 20,000	\$339.95
HMSD306	10" drop, 2" & 25/16" balls with shank, 20,000	\$489.95
HMSD309	25/16" duplex pintle with adjustable shank, 20,000	\$414.95
HMSD316	25/16" duplex pintle only, 20,000 GTW	\$213. <sup>95</sup>
HMSD318	Shank only, 9 holes vertical adjustment	\$206.95
HMSD213	Locking Pin Set (receiver and channel)	\$ <b>97.</b> 95
HMSD312	Replacement pair of pins	\$ <b>26.</b> 95

## 2½" Rebellion Adjustable Ball Mount

## **© CURT** ShockDrop™



HMSD236

- •Fits 21/2" receiver
- Cushioned with heavy duty ShockDrop™ technology
- •8" drop, 1" rise, shank cannot be used upside down
- •HMSD236 has standard 3%" by 1¾" bolt pattern, 4 bolts included

HMSD330	2" & 25/16" balls with adjustable shank, 20,000	\$649.95
HMSD236	Pintle mount plate for HMSD330	\$83.95



## 3" Adjustable Ball Mount

## **CURT**



- •Fits 3" receiver
- •10" drop
- •2 pin holes gives the option of 11" or 12" length

HMSD356 2" & 25/16" balls with adjustable shank, 21,000

## 3" Tow & Stow





- •Fits 3" receiver
- •Stows under vehicle when not in use
- •Ball Ratings: 2" (7,500 lb) & 25/16" (21,000 lb)

ITEM#	MFG#	Color	Drop	Ball Sizes	Price
HMSB373	TS30037B	Black	5"	2" & 25/16"	\$349.00
HMSB483	TS30048B	Black	5"	1%", 2", 25/16"	\$359.00
HMSB403	TS30040B	Black	7"	2" & 25/16"	\$379.00
HMSB493	TS30049B	Black	7"	1%", 2", 25/16"	\$399.00
HMSB003	TS35300B	Drawbar	attachm	ent for 3" Tow & Stow	\$98.95
HMSB102	TS35011	Tow & Sto	ow repla	cement pin, 3"	\$1 <b>5.</b> 95

#### 3" Aluminum Ball Mounts





- •2" ball: 8,000 GTW, 2,200 TW
- •25/16" ball: 21,000 GTW, 2,200 TW
- •Built-in tongue weight scale
- •Aluminum shank
- Stainless steel balls
- Includes dual pin lock assembly and keyed alike SS receiver lock
- •Limited Lifetime Warranty

HMSW836	6" drop	\$429.00
HMSW838	8" drop	\$449.00
HMSW839	10" drop	\$459.00

## 3" GEN-Y Mega-Duty Ball Mounts



- Super heavy duty construction
- •2" and 25/16" balls, and pintle all in 1 unit
- •¾" and ¾" receiver pin holes. Please order correct size pin
- •100% Satisfaction Guaranteed!

HMSG1723	32,000/10,000 GTW	3,500 TW	6" drop	\$520.99
HMSG1724	32,000/10,000 GTW	3,500 TW	9" drop	\$ <b>532.</b> 99
HMSG090	1%" add-on ball for Ge	en-Y ball mou	nt	\$22.99
HMSG0162	Pintle lock, 2½" shank	, ¾" pin hole,	32K	\$ <b>76.</b> 99
HMSG097	¾" replacement pin, 4	⅓" usable leng	gth	\$16.99
HMSG099	%" replacement pin, 4	⅓" usable leng	gth	\$ <b>15.</b> 99

3" Forged Ball Mounts





- •Fits 3" receiver
- •1¼" ball hole
- •Uses long %" pin & clip HARPL (Not included)

HMS934	4" drop	9" long	21,000GTW/2,800TW	\$133.00
HMS936	6" drop	10" long	21,000GTW/2,800TW	\$161. <sup>95</sup>
HMS938	8" drop	10½" long	21,000GTW/2,800TW	\$190.95

#### 3" 180° Aluminum Ball Mounts



- •Fits 3" receiver
- •25/16" ball: 21,000 GTW, 2,200 TW
- •Aluminum shank

HMSW738

- Stainless steel balls
- •180° model does not include built-in tongue weight scale
- •Includes dual pin lock assembly and keyed alike SS receiver lock
- •Limited Lifetime Warranty

HMSW736	6" drop	\$369.00
HMSW738	8" drop	\$389.00
HMSW739	10" drop	\$399.00

HMSW836



## **Receiver Pins**







- •Secures ball mount in receiver hitch
- 5/8" pins are used on class 3, 4, & 5 receiver hitches
- •1/2" pins are used on class 1 & 2 receiver hitches
- •HALP316 lynch does not fit HARP12

	%" pin & clip, 3" usable length for 2" receivers	\$3.99
HARP	Buy 6 or more, each	\$3.89
	Buy 12 or more, each	\$3.79
HARPL	%" pin & lynch, 5" usable length for up to 3" rec.	\$4.99
HARP12	½" pin & clip	\$2.99
HALP316	3/16" replacement lynch for HARP or HARPL	\$0.99
HAHP1	Replacement clip for HARP	\$1.79
HAHP	Replacement clip for HARP12	\$ <b>0.</b> 79

#### **Pivot Latch Receiver Pin**



- Just pull out on the barrel head and rotate to latch in place
- Spring loaded barrel head locks on either side of the pin
- •Class 3, 4, & 5 hitches

ITEM#	Description		Price
HARP4	Chrome	%" pivot pin	\$ <b>7.</b> 99
HARP42	Stainless Steel	5%" pivot pin	\$ <b>17.</b> 95

## **Lynch Pins**



HALP316	³/16" lynch pin	\$0.99
HALP416	¼" lynch pin	\$1.29
HALP516	⁵⁄16" lynch pin	\$ <b>1.</b> 19
HALP716	7/16" lynch pin	\$1.99

# Weigh Safe Clamshell Converter





Email: info@weaverd.com

•Goes over most 2" balls to convert to 25/16" ball

HLB07 2" to 2 5/16" clamshell converter \$30.00

## **Locking Receiver Pins**



- •Gives you peace of mind while parked or towing
- •Includes key-hole cover

ITEM#	Size	Style	Fits	Price
HARPBB12	1/2" for class 1-2	barbell	1¼" receivers	\$27.95
HARPLM	1/2" for class 1-2	bent pin	1¼" receivers	\$14. <sup>95</sup>
HARPL20	%" for class 3	twin grip	2" receivers	\$ <b>7.</b> 99
HARPLBB	5/8" for class 3-5	barbell	2" receivers	\$22.95
HARPBB25	5/8" for class 3-5	barbell	2"-2½" receivers	\$20.95
HARPLD	5/8" for class 3-5	bent pin	2"-21/2" receivers	\$15. <sup>95</sup>
HARPL24	5/8" for class 3-5	right angle	e 2"-2½" receivers	\$ <b>29.</b> 95
HARPBB30	5/8" or 3/4" cls 3-5	barbell	2½" -3" receivers	\$ <b>27.</b> 95

## **Stainless Steel Locking Pins**



•HALS101/300 limited lifetime warranty

ITEM#	Size	Style	Fits	Price
HALS101	1/2" for class 1-2	barbell	1¼" receivers	\$29.95
HALS300	5%" for class 3-5	barbell	2" receivers	\$33.95
HALS202	5/8" for class 3-5	barbell	2" & 2½" receivers	\$39.95
HALS230	5/8" for class 3-5	barbell	2", 2½", & 3" receivers	\$ <b>58.</b> 95

# **Poly-coated Pins**



ITEM#		Poly-coated	Usable Length	Price
HARPP	5%" pin & clip	Yes	4"	\$ <b>6.</b> 99
HARPP3	¾" pin & clip	Yes	4½"	\$8.00
HARPP7	⅓" pin & clip	Yes	4½"	\$ <b>9.</b> 95
HARPP117	⅓" pin & clip	No	6¼"	\$8.29
HARPP1	1" pin & clip	Yes	4½"	\$10.95
HARPP118	1½" pin & clip	No	6¼"	\$ <b>12.</b> 95