



Single Latch Duplex Pintles



Bolts included

HPDSC

•3 $\frac{3}{8}$ " by 1 $\frac{3}{4}$ " center-to-center mounting bolt pattern

HPDSB	8 ton hook, 5 ton ball rating, 2" ball	\$98.95
HPDSC	8 ton hook, 8 ton ball rating, 2 $\frac{5}{16}$ " ball	\$99.95

Replacement balls for CURT duplex pintles

HLTCR31	2" x 1 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ " Replacement ball, 10k	\$32.95
HLTCR32	2 $\frac{5}{16}$ " x 1 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ " Replacement ball, 16k	\$38.95

Rigid Mounted Pintles



HP10



HP301

•3 $\frac{3}{8}$ " by 1 $\frac{3}{4}$ " center-to-center mounting bolt pattern

HP10	10 Ton pintle	$\frac{1}{2}$ " bolt kit included	\$86.95
HP15	15 Ton pintle	$\frac{1}{2}$ " bolt kit included	\$88.95
HP301	30 Ton pintle	$\frac{1}{2}$ " bolt kit included	\$119.95

Pintles for 2" Receiver



HP1000



HPD3



HPDS2/HPDS3

•Fit 2" standard receiver, use a $\frac{5}{8}$ " receiver pin.

ITEM#	Hook	Ball	Size	Latch	Price
HP1000	10 ton	none	hook	single	\$83.95
HPDS2	8 ton	5 ton	2"	single	\$122.95
HPD2	8 ton	8 ton	2"	dual	\$135.95
HPDS3	8 ton	8 ton	2 $\frac{5}{16}$ "	single	\$119.95
HPD3	8 ton	8 ton	2 $\frac{5}{16}$ "	dual	\$135.95

Dual Latch Duplex Pintles



HPDC



Purchase HPK bolt kit

•3 $\frac{3}{8}$ " by 1 $\frac{3}{4}$ " center-to-center mounting bolt pattern
•Dual latch clamps over top of trailer coupler

HPDB	8 Ton hook, 8 Ton ball rating, 2" ball	\$99.95
HPDC	8 Ton hook, 8 Ton ball rating, 2 $\frac{5}{16}$ " ball	\$107.95

Replacement balls for Wallace Dual Latch Duplex Pintles

HLTC10	2 $\frac{5}{16}$ " x 1" x 2 $\frac{1}{2}$ " Replacement ball, 10k	\$42.95
HLTB11	2" x 1 $\frac{1}{16}$ " x 2 $\frac{1}{2}$ " Replacement ball, 16k	\$38.95
HLTC11	2 $\frac{5}{16}$ " x 1 $\frac{1}{16}$ " x 2 $\frac{1}{2}$ " Replacement ball, 16k	\$41.95

Heavy Duty Duplex Pintles



HPDMC

Purchase HPK1 bolt kit

•Bolt hole size is $\frac{9}{16}$ "
•Dual latch

•3 $\frac{3}{8}$ " by 1 $\frac{3}{4}$ " center-to-center mounting bolt pattern

HPDMB	10 Ton hook, 10 Ton ball rating, 2" Ball	\$167.95
HPDMC	15 Ton hook, 15 Ton ball rating, 2 $\frac{5}{16}$ " Ball	\$167.95

Replacement balls for Wallace Heavy Duty duplex pintle

HLTHC	2 $\frac{5}{16}$ " x 1 $\frac{1}{4}$ " x 3", 30k	\$44.95
-------	--	---------

Pintles for 2 $\frac{1}{2}$ " Receivers



HP1025



HPDS35

•Fit 2 $\frac{1}{2}$ " receiver

•Use a $\frac{5}{8}$ " receiver pin HARPL

ITEM#	Hook	Ball	Size	Latch	Price
HP1025	10 ton	none	hook	single	\$129.95
HPDS35	10 ton	10 ton	2 $\frac{5}{16}$ "	single	\$129.95

Pintle Mounting Bolt Kits



HPK	$\frac{1}{2}$ " bolt kit for rigid mount pintles up to 15 ton & single/dual latch duplex pintles	\$6.99
HPK1	$\frac{9}{16}$ " bolt kit for heavy duty duplex pintles	\$19.95

Replacement Duplex Pintle Balls

Replacement balls must be matched by manufacturer & measurements!

Replacement balls for Buyers duplex pintles

HLTUB	2" x 1 $\frac{1}{8}$ " x 2 $\frac{1}{4}$ ", Buyers duplex pintle ball, 12k	\$29.95
HLTUC	2 $\frac{5}{16}$ " x 1 $\frac{1}{8}$ " x 2 $\frac{1}{4}$ ", Buyers duplex pintle ball, 12k	\$32.95

Replacement balls for Horizon duplex pintles

HLTCR21	2" x 1 $\frac{1}{8}$ " x 2 $\frac{1}{4}$ " Horizon duplex pintle ball, 10k	\$22.95
HLTCR22	2 $\frac{5}{16}$ " x 1 $\frac{1}{8}$ " x 2 $\frac{1}{4}$ " Horizon duplex pintle ball, 14k	\$24.95
HLTCR11	2" x 1 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ " Horizon duplex pintle ball, 10k	\$32.95
HLTCR12	2 $\frac{5}{16}$ " x 1 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ " Horizon duplex pintle ball, 14k	\$38.95

2" Pintle Mounting Plates



- Fits 2" standard receiver
- Use a 5/8" receiver pin
- 1/2" bolt holes
- 3 3/8" by 1 3/4" center-to-center mounting bolt pattern
- Shank length is measured from center of pin hole to face of plate

ITEM#	plate height	shank length	bolt holes	rating	Price
HPM84	3 3/4"	6"	4	20,000	\$79.95
HPM104	3 3/4"	8 1/4"	4	20,000	\$72.95
HPM67	5"	6 1/2"	6	16,000	\$69.95
HPM87	7"	6 1/2"	8	16,000	\$73.95
HPM90	7 3/4"	6 3/8"	8	17,000	\$84.95
HPM107	7"	8 1/2"	8	16,000	\$75.95
HPM812	12"	10 1/2"	14	16,000	\$104.95
HPM1012	12"	12 1/2"	14	16,000	\$109.95

UWS Trailer Tongue Tool Boxes
See page 32



2 1/2" Pintle Mounting Plates



- Fits 2 1/2" standard receiver
- Use a 5/8" receiver pin HARPL
- 1/16" bolt holes, HPM587 has 1/2" holes
- 3 3/8" by 1 3/4" center-to-center mounting bolt pattern
- Shank length is measured from center of pin hole to face of plate

HPM534	4 holes	3 1/2" Plate	8" Shank	20,000 lb	\$139.95
HPM587	8 holes	7" Plate	9" Shank	16,000 lb	\$83.95
HPM535	8 holes	7" Plate	8.5" Shank	20,000 lb	\$115.95
HPM539	14 holes	12 1/2" Plate	10 3/4" Shank	20,000 lb	\$205.95


3" Pintle Mounting Plate



- Fits 3" standard receiver
- Use a 5/8" receiver pin HARPL
- 1/16" bolt holes
- 3 3/8" by 1 3/4" center-to-center mounting bolt pattern
- Shank length is measured from center of pin hole to face of plate

HPM3109	10 holes	9" Plate	9" Shank	30,000 lb	\$165.95
---------	----------	----------	----------	-----------	----------

Adjustable Pintle Mounting Plate



- Fits 2" standard receiver
- Use a 5/8" receiver pin
- 1/2" threaded bolt holes
- 3 3/8" by 1 3/4" center-to-center mounting bolt pattern
- Requires HPK. Hardware included with pintles does not work

HPAA50	10 1/2" adjustment,	14,000 lb	\$289.95
HPK	1/2" bolt kit		\$6.99



Adjustable Duplex Pintle



HMSB56

- 8 ton hook, 5 ton- 2 $\frac{5}{16}$ " ball

HMSB56	Adjustable Duplex Pintle, 2" shank	\$349.00
HMSB562	Adjustable Duplex Pintle, 2 $\frac{1}{2}$ " shank	\$389.00

Heavy Duty Pintle Hooks



HP30



HP500



HP500C

- HP30: 4 - $\frac{3}{4}$ " bolt mount. 4 $\frac{1}{2}$ " square bolt hole pattern. Use HPK8
- HP500: 6 - $\frac{3}{4}$ " bolt mount. Use HPK6
- Accepts 2 $\frac{1}{2}$ " or 3" ID pintle rings

HP30	30 ton GTW, 7.5 ton TW	\$118.95
HP500	50 ton GTW, 10 ton TW, with deluxe latch	\$309.95
HP500C	Air chamber kit for cushioning HP500	\$97.95
HPK8	Bolt kit for HP30, 4 bolts	\$14.95
HPK6	Bolt Kit for HP500, 6 bolts	\$26.95
HPP03	Replacement safety latch for HP30	\$79.95

Swivel Mounted Pintle Hooks



HPB30

- Bolts are not included except HPB30
- HPB30/HPB50 only accept 3" ID pintle rings

HPB25	25 Ton pintle, 6 bolt swivel mount, $\frac{1}{2}$ " bolts	\$262.45
HPB30	30 Ton pintle, 2 bolt swivel mount, bolts incl.	\$260.95
HPB50	50 Ton pintle, 4 bolt swivel mount, $\frac{7}{8}$ " bolts	\$569.95

Spring Mounted Pintle Hooks



HPSP15




HPSP25

These heavy duty spring, swivel mounted pintles are recommended for off road equipment. Unit must be mounted to a plate of at least $\frac{3}{4}$ " thick. Shank diameter is 2". Mounts with 6- $\frac{1}{2}$ " bolts, not included. Accepts 2 $\frac{1}{2}$ " and 3" ID pintle rings.

HPSP15	15 Ton pintle, spring swivel mount	\$209.95
HPP03	Replacement safety latch for HPSP15	\$79.95
HPSP25	25 Ton pintle, spring swivel mount	\$234.95

Coupler Safety Pins



HAPS1



HAPS12



HAPS15


- Secure coupler latches or pintle hooks

HAPS1	$\frac{1}{4}$ " pin 2 $\frac{3}{4}$ " long, "The most popular"	\$1.69
HAPS11	$\frac{1}{4}$ " pin $\frac{1}{4}$ " pin, 1 $\frac{1}{16}$ " long	\$1.89
HAPS2	$\frac{5}{16}$ " pin 2 $\frac{1}{2}$ " long	\$1.59
HAPS5	$\frac{3}{8}$ " pin 2 $\frac{3}{8}$ " long	\$1.69
HAPS12	$\frac{1}{4}$ " pin 1 $\frac{3}{4}$ " long tab lock round snapper pin	\$2.99
HAPS13	$\frac{1}{4}$ " pin 3 $\frac{5}{8}$ " long	\$1.65
HAPS15	$\frac{1}{4}$ " pin 2" long with 12" chain	\$7.09

Pintle Rings



Rigid Mount Pintle Rings



HPR50A

HPR48A

•Mount with 4 bolts with a 4½” square bolt pattern.

ITEM#	Rating	Ring ID	bolt size	V.L	Price
HPR48A	5 Ton	2 ½”	⅝”	1,000	\$81.95
HPR49A	21 Ton	2 ½”	⅝”	6,000	\$94.95
HPR50A	24 Ton	2 ½”	⅝”	7,000	\$102.95
HPR50B	33 Ton	2 ½”	¾”	19,000	\$110.95
HPR51A	33 Ton	3”	¾”	19,000	\$100.95
HPK7	Bolt kit for HPR48A/HPR49A/HPR50A				\$35.95
HPK8	Bolt kit for HPR50B/HPR51A				\$14.95

Two Bolt Pintle Rings



- Top bolt diameter is 1-½”
- Bottom stud diameter: HPRS12- 1¼”, HPRS25- 2”
- Bolt to stud spacing center to center: HPRS12: 3-¾”, HPRS25: 4-½”
- All mounting hardware is included
- These pintle rings are commonly used on Eager Beaver® trailers.

HPRS12	15 Ton, 6,000 TW, 3” ID ring	6,000 V.L.	\$334.95
HPRS25	30 Ton, 12,000 TW, 3” ID ring		\$378.95

Rigid Mount Coupler



•Mount with 4 bolts with a 4½” square bolt pattern.

ITEM#	Rating	Ball size	bolt size	Price
HATCC9	25,000	2⅝”	⅝”	\$199.95

Swivel Mount Pintle Rings




HP051B

- HP050A has a 1½” diameter mounting stud that is 3¼” long.
- HP051B has a 2” diameter mounting stud that is 4” long.

HP050A	20,000 lb, 2½” ID ring	3,000 V.L.	\$76.95
HP051B	45,000 lb, 3” ID ring	6,500 V.L.	\$125.95

Trailer Nose Plates



•Weld onto trailer tongue. Accepts standard 4½” square bolt pattern found on most pintle rings. Allows 3 mounting positions

HPNP02	16” x 7” x ¾” Nose Plate	use ⅝” bolts	\$91.95
HPNP00	16” x 7” x 1” Nose Plate	use ¾” bolts	\$104.95

Pintle Ring Lock



HALP253 in use


HALP253

HALEZ45

Secure your ”Pintle Ring” trailer with this pintle ring lock. Made of steel with a protector around padlock. Fits 2½” and 3” ID rings. Secure with your padlock or the one available below.

HALP253	Pintle Ring lock	\$24.95
HALEZ45	Stainless Steel Disc Padlock, (not keyed alike)	\$14.95
HALEZ47	Stainless Steel Disc Padlock, Keyed alike!	\$14.95

GEN-Y Contractor Channel Mount



HPCG21 installed

- Rubber torsion provides 90% smoother ride
- Mounts to trailer channel; accepts channel mounted coupler
- 16,000 GTW, 1,000-1,700TW
- Includes four grade 8 mounting bolts
- 100% Satisfaction Guaranteed!
- 5-year torsion warranty; Lifetime workmanship warranty!

HPCG21 Contractor Torsion \$596.99

Channel Mounts



HPC143



HPC147



HPK3

HPC144	3-position, 14K, 3/8" thickness	\$14.95
HPC143	3-position, 20K, 3/8" thickness	\$21.95
HPC142	3-position, 30K, 1/2" thickness	\$47.95
HPC147	5-position, 14K, 3/8" thickness	\$21.95
HPC148	5-position, 15K, 7/16" thickness	\$29.95
HPC146	5-position, 20K, 1/2" thickness	\$29.95
HPC145	5-position, 30K, 1/2" thickness	\$66.95
HPK3	5/8" bolt kit for 2 bolt channel accessories	\$9.99

EZ Latch Couplers



TCC258



TCC259



- TCC259: Kit includes 4 bolts & nuts, 2 gussets, 1 channel & coupler
- Bolts tighten coupler to channel; Eliminates rattle & clanking
- EZ Latch automatically latches when dropped onto a hitch ball
- Maintenance free with no grease or adjustment needed
- Limited lifetime warranty

ITEM#	Ball size	Rating		Price
TCC256	2"	10,000	Fits 3" ID channel	\$59.95
TCC258	2 5/16"	21,000	Fits 3" ID channel	\$80.95
TCC259	21K plated coupler channel mount kit, 12" height			\$130.95
TCC257	Replacement jaw and latch assembly			\$39.95
HPK4	5/8" bolt kit for TCC258 (4 bolts)			\$12.95

Heavy Duty Duplex



- Single latch unit includes 5-position mounting channel w/ bolts.
- Removes easily to avoid interference with salt spreading equipment

HPDH2515	Heavy Duty with 2 5/16" ball, 30k	\$235.95
Replacement ball for Wallace Heavy Duty duplex pintle		
HLTHC	2 5/16" x 1 1/4" x 3" Replacement ball, 30k	\$44.95

Channel-Mount Couplers

TCC249



HATCCC



TCC248



- 2 bolt mount
- Fits standard 3" ID channels

ITEM#	MFG#	Ball size	Rating		Price
HATCBB	A200S 0303	2"	8,000	Stamped	\$45.95
TCC246	A200C 0317	2"	8,000	Cast	\$133.95
HATCCC	CTA-400	2 5/16"	14,000	Stamped	\$37.95
TCC248	A256C 0317	2 5/16"	14,000	Cast	\$138.95
TCC249	CTA-280	2 5/16"	15,000	Cast	\$70.95
TCC247	Replacement jaw and latch assembly for TCC248				\$39.95
HPK3	5/8" bolt kit for 2 bolt channel accessories				\$9.99

Channel-Mounted Rings and Clevises



HPC202



HPC200



HPR142



HPR330

- 2 bolt mount
- Fits standard 3" ID channels

HPR142	Pintle ring, 10 ton, 2 bolt mount, 2 1/2" ID	1,000 V.L.	\$52.95
HPR143	Pintle ring, 15 ton, 2 bolt mount, 2 1/2" ID	2,000 V.L.	\$55.95
HPR330	Pintle ring, 12 1/2 ton, 2 bolt mount, 3" ID	3,000 V.L.	\$44.95
HPC202	Clevis, 8 ton, 2 bolt mount, 3/4" pin hole		
HPC200	Clevis, 10 ton, 3 bolt mount, 1" pin hole		

Rigid Channel-Mount Coupler



- Fits standard 3" ID channel
- Bolts draw coupler tight to channel
- Eliminates all rattle and clanking!
- Hex-shaped nut indents for easy, one-wrench install

TCC245	2 5/16" ball coupler	12,500 lb	\$149.95
--------	----------------------	-----------	----------

Heavy Duty Straight-Tongue Couplers



ITEM#	Ball size	Tongue width	Rating	Price
HATCC30	2 5/16"	3"	15,000	\$138.95
HATCC32	2 5/16"	3"	21,000	EZ Latch \$119.95
TCC257	Replacement jaw and latch assembly for HATCC32			\$39.95

Straight-Tongue Couplers



- Durable zinc finish

ITEM#	Ball size	Tongue width	Rating	Price
HATCA20	1 7/8"	2"	2,000	\$15.95
HATCA25	1 7/8"	2 1/2"	2,000	\$16.95
HATCA30	1 7/8"	3"	2,000	\$17.95
HATCB20	2"	2"	3,500	\$19.95
HATCB25	2"	2 1/2"	3,500	\$19.95
HATCB30	2"	3"	3,500	\$19.95
HATCB31	2"	3"	5,000	\$21.95
HATCB38	2"	3"	8,000	\$43.95
HATCCL01	1 7/8" Coupler Posi-Lock Repair Kit			\$8.89
HATCCL02	2" Coupler Posi-Lock Repair Kit			\$9.99

Heavy Duty Sliding-Collar Couplers



- Heavy duty couplers feature a spring-loaded sliding locking collar which provide instant visual indication of proper closure.

ITEM#	Ball size	Mount	Rating	Price
HATC3B4	2"	3" channel	7,000	\$127.95
HATC3B8	2"	A-frame	7,000	\$58.95
HATC4B4	2 5/16"	3" channel	12,500	\$134.95
HATC4B8	2 5/16"	A-frame	12,500	\$70.95

A-Frame Tongue Couplers



- TCA203/TCA215: EZ latch design

ITEM#	Ball size	Rating	finish	jack hole	Price	
HATC516	2"	5,000	light oil	no	\$24.95	
HATC517	2"	5,000	light oil	yes	\$22.95	
HATC518	2"	5,000	painted	yes	\$24.95	
TCA203	2"	10,000	painted w/ chain mounts	yes	\$59.95	
HATCCL05	Coupler latch repair kit for HATC518					\$10.95
HATC520	2 5/16"	14,000	light oil	yes	\$27.95	
HATC519	2 5/16"	14,000	painted	yes	\$28.95	
HATC521	2 5/16"	14,000	light oil	no	\$29.95	
TCA215	2 5/16"	21,000	painted	yes	\$77.95	
TCC257	Replacement jaw and latch assembly for TCA215					\$39.95

Flat-Mount Couplers



- HATCC8: Demco EZ Latch design

ITEM#	Ball size	Bolt pattern	Rating	Price	
HATCB4	2"	4 1/2" x 4 1/2"	10,000	Stamped \$102.95	
HATCC4	2 5/16"	4 1/2" x 4 1/2"	14,000	Stamped \$53.95	
HATCC5	2 5/16"	6" x 4"	14,000	Stamped \$130.95	
HATCC6	2 5/16"	4 1/2" x 4 1/2"	20,000	Cast \$119.95	
HATCC7	2 5/16"	4 1/2" x 4 1/2"	20,000	Cast \$90.95	
HATCC8	2 5/16"	4 1/2" x 4 1/2"	21,000	Cast \$110.95	
TCC247	Replacement jaw and latch assembly for HATCC6				\$39.95
TCC257	Replacement jaw and latch assembly for HATCC8				\$39.95
HPK7	5/8" Bolt Kit for the couplers listed above				\$35.95

Stainless Steel Coupler Locks



• Use to lock trigger style trailer couplers to prevent theft.

HALS306	Coupler Lock, 1" Span	\$21.95
HAL2847	Coupler Lock, 6 positions from 1/16" to 2 3/4"	\$12.95

Keyed Alike Lock Sets



HAL3794

HAL399



HAL3852

HAL3862

- Includes a coupler lock for your trailer
- Locking pins fit 1 1/4" and 2" receiver sizes. (3/8" and 1/2" pin sizes)
- HAL3852/HAL3862 fit up to 2.5" receivers
- HAL3862: Hardened steel coupler lock
- HALS315 has smaller 3/4" span coupler lock
- HAL3794 includes two coupler locks (HAL379 and HAL2847) and a convenient heavy duty canvas storage bag

HAL2848	Keyed-alike lock set	\$27.95
HALS315	Stainless Steel, Keyed-alike lock set	\$53.95
HAL3794	Keyed-alike lock set	\$72.95
HAL399	Keyed-alike lock set	\$59.95
HAL3852	Keyed-alike lock set	\$84.95
HAL3862	Keyed-alike lock set	\$109.95

Fortress Coupler Lock



Lock in use



- Limited lifetime warranty
- 100% water-tight lock housing
- Maintenance free (no lubrication required)
- Inside clasp width is 4 1/2"

HAL380	1 7/8", 2", or 2 5/16" Universal Coupler Lock	\$65.90
HAL380K	Same as HAL380 but keyed-alike!	\$66.90

Universal Coupler Lock




- Inside clasp width is 3 7/8"

HAL390	1 7/8", 2", or 2 5/16" universal coupler lock	\$29.95
HAL390K	Same as HAL390 but keyed-alike!	\$35.95

Universal Coupler Locks



HAL385



HAL386



HAL385:

- Deluxe Die Cast coupler lock
- Dual ratchet locking system
- Rugged corrosion resistant finish

HAL386:

- Premium solid hardened steel coupler lock
- Ballistic grade nylon housing absorbs hammer blows & protects against weather

HAL385	UMAX50D	1 7/8", 2", or 2 5/16" universal coupler lock	\$53.95
HAL386	UMAX100D	1 7/8", 2", or 2 5/16" universal coupler lock	\$81.95

Tri-Ball Trailer Coupler Lock



- Glass-filled polymer for high strength
- Fits all standard coupler sizes
- Adjusts from 1"-3" coupler span

HAL2850	Tri-Ball Trailer Coupler Lock	\$24.95
---------	-------------------------------	---------

Universal Coupler Locks



HAL37700



HAL37800

HAL37700	1 7/8" or 2" universal coupler lock	\$46.95
HAL37800	2 5/16" universal coupler lock	\$59.95

Universal Coupler Locks



HAL389



HAL379

HAL379	1 7/8", 2", or 2 5/16", universal coupler lock	\$36.49
HAL389	1 7/8", 2", or 2 5/16", universal coupler lock, red	\$36.95
HAL3799	1 7/8", 2", or 2 5/16", universal coupler lock, gray	\$43.95
HAL379K	Same as HAL3799 but keyed-alike!	\$45.10

"Lip" Engaging Coupler Locks




Lock in use

One-piece lock with a steel pin and push lock. Easy to install on your unattended trailer. Simply slip the lock over the coupler and push the lock mechanism to engage the steel pin & secure the lock on coupler. (Coupler not included)

HALCLK	1 7/8" & 2" Lock, 3 7/8" x 3/8" opening, keyed alike	\$19.95
--------	--	---------

Heavy Duty Coupler Lock



HALU

Lock in use

HALEZ45

- Secure with padlock HALEZ45

HALU:

- 3-pin positions fit a huge variety of trailer couplers including, but not limited to: Atwood, Shelby, Fulton, & Dutton-Lainson.

HALEZ:

- Fits "sliding collar" style couplers, such as Bulldog
- Easy to use lock for 2" or 2 5/16" heavy-duty trailer couplers

HALEZ	EZ lock for "sliding" collar couplers	\$40.95
HALU	Heavy duty coupler lock, 4 5/8" inside width	\$46.95
HALEZ45	Stainless steel disc padlock, (not keyed alike)	\$14.95
HALEZ47	Stainless steel disc padlock, keyed alike!	\$14.95

Padlocks



HAL139



HALEZ46

HALEZ45	Shrouded Disc Padlock, each, (not keyed alike)	\$14.95
HALEZ47	Shrouded Disc Padlock, each, keyed alike!	\$14.95
HALEZ46	Shrouded Disc Padlock, set of 3, keyed alike!	\$37.95
HAL139	Padlock, set of 3, keyed alike! 1 1/8" x 5/16" shackle	\$21.95



Trailer Door Locks & Tool Boxes

Trailer Door Bullet Latch Lock



Installed

Weather resistant lock design.

- Fits most cargo door hasps
- Made from high strength 6061 aircraft grade aluminum
- Hardened ultra secure 3/8" internal shackle; "It Can't Be Cut!"
- Securely covers the entire hasp and rivets
- Full Lifetime Guarantee

HALD825 Trimax Bullet Door Lock **\$47.95**

Trailer Door Lock



Installed



Back View

- Fits most cargo trailer door hasps
- Securely covers the entire hasp and rivets
- Foam gasket prevents rattling and scratching
- Heavy Duty aircraft aluminum. Will not rust!
- Available key-alike upon request

HALD80 Trailer Door Lock **\$55.95**

Security "Puck" Locks



HAL142
Installed



HAL143

- Includes two keys
- Designed to cover & lock a trailer door latch
- Heavy-duty, chrome-plated steel lock

HAL142 Security Lock **\$28.95**

HAL143 Security Lock, 2 pack, Keyed alike **\$66.95**

Under body Tool Boxes



THB137



THB238



THB922



THB196

Free Shipping!
(Zone A)

- Smooth steel with black finish
- Diamond bright aluminum tread plate
- Rotating T-handle with lock
- Weather seal

ITEM#	Style	A	B	C	Price
THB117	Steel	14	12	24	\$302.95
THB127	Steel	14	16	24	\$302.95
THB144	Steel	15	13	30	\$362.95
THB137	Steel	18	18	24	\$331.95
THB138	Steel	18	18	30	\$369.95
THB139	Steel	18	18	36	\$416.95
THB1394	Steel	18	18	48	\$525.95
THB1396	Steel	18	18	60	\$627.95
THB217	Aluminum	14	12	24	\$372.95
THB227	Aluminum	14	16	24	\$404.95
THB237	Aluminum	18	18	24	\$448.95
THB238	Aluminum	18	18	30	\$479.95
THB239	Aluminum	18	18	36	\$538.95
THB922	Replacement/Upgrade latch, 6"H x 5 7/8"W				\$45.95
THB196	Mounting Bracket, 24" x 24" L brackets, sold by the pair				\$139.95

Tool Box Latch



- Corrosion-resistant stainless steel construction
- Includes installed lock and key set and gasket
- Cam adjusts from 1/4" to 2" for varying door thicknesses
- 4 7/8" H x 4 3/4" W

THB902 T-Handle latch **\$23.95**