

Single Latch Duplex Pintles

CURT



Bolts included

•3%" by 1¾" center-to-center mounting bolt pattern

LIDDCD	0 . 1 1 5 . 1 11 .: 2 1 11	÷00.05
HPDSB	8 ton hook, 5 ton ball rating, 2" ball	\$98.95
HPDSC	8 ton hook, 8 ton ball rating, 25/16" ball	\$ 99. 95
Replacemen	t balls for CURT duplex pintles	
HLTCR31	2" x 1¼" x 2¼" Replacement ball, 10k	\$38.95
HLTCR32	25/16" x 11/4" x 21/4" Replacement ball, 16k	\$45. ⁹⁵

Dual Latch Duplex Pintles







- $\bullet 3\%"$ by 1%" center-to-center mounting bolt pattern
- •Dual latch clamps over top of trailer coupler

HPDB	8 Ton hook, 8 Ton ball rating, 2" ball	\$10 7. 95
HPDC	8 Ton hook, 8 Ton ball rating, 25/16" " ball	\$107.95
Replacement	balls for Wallace Dual Latch Duplex Pintles	
HLTC10	25/16" x 1" x 21/2" Replacement ball, 10k	\$44.95
HLTB11	2" x 1½" x 2½" Replacement ball, 16k	\$39.95
HLTC11	25/16" x 11/16" x 21/2" Replacement ball, 16k	\$ 42. 95

Heavy Duty Duplex Pintles





Purchase HPK1 bolt kit

•Bolt hole size is %16"

•Dual latch

• 3%" by 1¾" center-to-center mounting bolt pattern

HPDMB 10 Ton hook, 10 Ton ball rating, 2" Ball \$183.95

HPDMC 15 Ton hook, 15 Ton ball rating, 25/16" Ball \$183.95

Replacement ball for Wallace Heavy Duty duplex pintle

HLTHC 25/16" x 1¼" x 3", 30k \$46.95

Pintle Mounting Bolt Kits



НРК	½" bolt kit for rigid mount pintles up to 15 ton & single/dual latch duplex pintles	\$ 6. 99
HPK1	%16" bolt kit for heavy duty duplex pintles	\$ 19. 95

Rigid Mounted Pintles





 $\bullet 3\%$ by 1% center-to-center mounting bolt pattern

HP10	10 Ton pintle	½" bolt kit included	\$105.95
HP15	15 Ton pintle	½" bolt kit included	\$88.95
HP301	30 Ton pintle	½" bolt kit included	\$119. ⁹⁵

Pintles for 2" Receiver



•Fit 2" standard receiver, use a 5%" receiver pin.

ITEM#	Hook	Ball	Size	Latch	Price
HP1000	10 ton	none	hook	single	\$109. ⁹⁵
HPDS2	8 ton	5 ton	2"	single	\$169. ⁹⁵
HPD2	8 ton	8 ton	2"	dual	\$1 47. 95
HPDS3	8 ton	8 ton	25/16"	single	\$ 136. 95
HPD3	8 ton	8 ton	25/16"	dual	\$1 47. 95

Pintles for 21/2" Receivers





- •Fit 2½" receiver
- •Use a %" receiver pin HARPL

ITEM#	Hook	Ball	Size	Latch	Price
HP1025	10 ton	none	hook	single	\$ 149. 95
HPDS35	10 ton	10 ton	25/16"	single	\$1 49. 95

Replacement Duplex Pintle Balls

-	1			· Duplox · mino Damo	
Replacemen	nt balls	must	be ma	atched by manufacturer & measure	ements!
Replaceme	nt balls	for Bu	yers d	uplex pintles	
HLTUB	2"	x 11/8"	x 21/4"	, Buyers duplex pintle ball, 12k	\$ 29. 95
HLTUC	25/16"	x 11/8"	x 21/4"	, Buyers duplex pintle ball, 12k	\$32.95
Replacement balls for Horizon duplex pintles					
HLTCR21	2"	x 11/8"	x 21/4"	Horizon duplex pintle ball, 10k	\$22.95
HLTCR22	25/16"	x 11/8"	x 21/4"	Horizon duplex pintle ball, 14k	\$ 24. 95
HLTCR11	2"	x 1¼"	x 21/4"	Horizon duplex pintle ball, 10k	\$32.95
HLTCR12	25/16"	x 1¼"	x 21/4"	Horizon duplex pintle ball, 14k	\$38.95



2" Pintle Mounting Plates



- $\bullet 3\%$ " by 1%" center-to-center mounting bolt pattern
- Shank length is measured from center of pin hole to face of plate

	O		1		1
ITEM#	plate height	shank length	bolt holes	rating	Price
HPM84	3¾"	6"	4	20,000	\$89.95
HPM104	3¾"	81/4"	4	20,000	\$ 79. 95
HPM67	5"	6½"	6	16,000	\$ 69. 95
HPM87	7"	6½"	8	16,000	\$ 73. 95
HPM90	7¾"	63/8"	8	17,000	\$84.95
HPM107	7"	8½"	8	16,000	\$ 75. 95
HPM812	12"	10½"	14	16,000	\$104.95
HPM1012	12"	12½"	14	16,000	\$109.95

Rebellion Cushioned Ball Mount



- Cushioned with heavy duty ShockDrop™ technology
- •Dampens jerking and jarring for smoother tow
- •HMSD230: 2" shank, 6" drop, cannot be used upside down
- •HMSD330: 21/2" shank, 8" drop, 1" rise, cannot be used upside down
- •HMSD236 has standard 3%" by 1¾" bolt pattern, 4 bolts included

HMSD230	2" & 25/16" balls w/ adjustable shank, 15,000	\$ 531. 95
HMSD330	2" & $2^{5/16}$ " balls w/ adjustable shank, 20,000	\$ 767. 95
HMSD236	Pintle mount plate for HMSD230/330	\$ 99. 95

21/2" Pintle Mounting Plates



- •Use a 5/8" receiver pin HARPL
- •%16" bolt holes, HPM587 has 1/2" holes
- •3%" by 134" center-to-center mounting bolt pattern

• Shank length is measured from center of pin hole to face of plate

HPM534	4 holes	3½" Plate	8" Shank	20,000 lb	\$ 156. 95
HPM587	8 holes	7" Plate	9" Shank	16,000 lb	\$83.95
HPM535	8 holes	7" Plate	8½" Shank	20,000 lb	\$115. ⁹⁵
HPM539	14 holes	121/2" Plate	7⅓" Shank	20,000 lb	\$242.95


3" Pintle Mounting Plate



- •Fits 3" receiver
- •Use a 5/8" receiver pin HARPL
- •%16" bolt holes
- •3%" by 1¾" center-to-center mounting bolt pattern
- Shank length is measured from center of pin hole to face of plate

HPM3109 10 holes 9" Plate 9" Shank 30,000 lb \$165.95

Adjustable Pintle Mounting Plate



- •1/2" threaded bolt holes
- ${ullet}33\%$ " by 134" center-to-center mounting bolt pattern
- •Requires HPK. Hardware included with pintles does not work

HPAA50	10½" adjustment, 14,000 lb	\$ 289. 95
HPK	½" bolt kit	\$ 6. 99



Adjustable Duplex Pintle



- •2" and 25/16" balls, and pintle all in 1 unit
- •HMSB108: Fits HMSB53/532, Lock inserts into hole between 2 height adjustment pins and holds them securely in place
- •Fits 2" receiver

HMSB53	\$349.00	
•Fits 2½"	receiver	
HMSB532	Adjustable Duplex Pintle, 21,000 lb. hook	\$389.00
HMSB108	Dual ball pintle pin lock	\$ 39. 95

Swivel Mounted Pintle Hooks





- •Bolts are not included except HPB30
- •HPB30/HPB50 only accept 3" ID pintle rings
- •HPB50: Buyers brand

HPB25	25 Ton pintle, 6 bolt swivel mount, ½" bolts	\$287.95
HPB30	30 Ton pintle, 2 bolt swivel mount, bolts incl.	\$284.95
HPB50	50 Ton pintle, 4 bolt swivel mount, 7/8" bolts	\$ 569. 95

Coupler Safety Pins







•Secure coupler latches or pintle hooks

HAPS1	¼" pin	2¾" long, "The most popular"	\$ 1. 69
HAPS11	¼" pin	1 ¹³ / ₁₆ " long	\$1.89
HAPS2	5/16" pin	2½" long	\$1.59
HAPS5	3%" pin	2%" long	\$1.69
HAPS12	¼" pin	1¾" long tab lock round snapper pin	\$ 2. 99
HAPS13	¼" pin	3%" long	\$1.65
HAPS15	¼" pin	2" long with 12" chain	\$ 7. 99

Heavy Duty Pintle Hooks









HP500



- •HP30: 4 $\frac{3}{4}$ " bolt mount. $\frac{4}{2}$ " square bolt hole pattern. Use HPK8
- •HP500: 6 3/4" bolt mount. Use HPK6
- •Accepts 2½" or 3" ID pintle rings

	1 1 0	
HP30	30 ton GTW, 7.5 ton TW	\$129.11
HP500	50 ton GTW, 10 ton TW, with deluxe latch	\$309.95
HP500C	Air chamber kit for cushioning HP500	\$ 97. 95
HPK8	Bolt kit for HP30, 4 bolts	\$14.95
HPK6	Bolt Kit for HP500, 6 bolts	\$26.95
HPP03	Replacement safety latch for HP30	\$82.95

Spring Mounted Pintle Hooks





These heavy duty spring, swivel mounted pintles are recommended for off road equipment. Unit must be mounted to a plate of at least ³/₄" thick. Shank diameter is 2". Mounts with 6-½" bolts, not included. Accepts 21/2" and 3" ID pintle rings.

HPSP15	15 Ton pintle, spring swivel mount	\$ 228. 95
HPSP25	25 Ton pintle, spring swivel mount	\$ 256. 95
HPP03	Replacement safety latch for HPSP15	\$82.95



Rigid Mount Pintle Rings



•Mount with 4 bolts with a 4½" square bolt pattern.

ITEM#	Rating	Ring ID	bolt size	V.L	Price
HPR48A	5 Ton	2½"	5/8"	1,000	\$88.95
HPR49A	21 Ton	2½"	5/8"	6,000	\$ 94. 95
HPR50A	24 Ton	2½"	5/8"	7,000	\$112. ⁹⁵
HPR50B	33 Ton	2½"	3/4"	19,000	\$120.95
HPR51A	33 Ton	3"	3/4"	19,000	\$102. ⁹⁵
HPK7	Bolt kit fo	r HPR48A/H	PR49A/HPR50A		\$41.95
HPK8	Bolt kit fo	r HPR50B/H	PR51A		\$14. 95

Trailer Nose Plates





•Weld onto trailer tongue. Accepts standard 4½" square bolt pattern found on most pintle rings. Allows 3 mounting positions

HPNP02	16" x 7" x ¾" Nose Plate	use %" bolts	\$ 91. 95
HPNP00	16" x 7" x 1" Nose Plate	use ¾" bolts	\$104.95



Two Bolt Pintle Rings





- •Top bolt diameter is 11/2"
- •Bottom stud diameter: HPRS12- 1¾", HPRS25- 2"
- •Bolt to stud spacing center to center: HPRS12: 3¾", HPRS25: 4½"
- •All mounting hardware is included
- •These pintle rings are commonly used on Eager Beaver® trailers.

HPRS12	15 Ton, 6,000 T	W, 3" ID ring	6,000 V.L.	\$ 365. 95
HPRS25	30 Ton, 12,000	TW, 3" ID ring		\$413. ⁹⁵

Swivel Mount Pintle Rings





- •HP050A has a 1½" diameter mounting stud that is 3¼" long.
- •HP051B has a 2" diameter mounting stud that is 4" long.

HP050A	20,000 lb, 2½" ID ring	3,000 V.L.	\$83.95
HP051B	45,000 lb, 3" ID ring	6,500 V.L.	\$1 55 .95

Pintle Ring Lock







Secure your "Pintle Ring" trailer with this pintle ring lock. Made of steel with a protector around padlock. Fits $2 \frac{1}{2}$ and $3^{\prime\prime}$ ID rings. Secure with your padlock or the one available below.

HALP253	Pintle Ring lock	\$24.95
HALEZ45	Stainless Steel Disc Padlock, (not keyed alike)	\$14. ⁹⁵
HALEZ47	Stainless Steel Disc Padlock, Keyed alike!	\$14.95







- •Bolts tighten coupler to channel; Eliminates rattle & clanking
- •EZ Latch automatically latches when dropped onto a hitch ball
- •Maintenance free with no grease or adjustment needed
- •Limited lifetime warranty

				Duties
ITEM#	Ball size	Rating		Price
TCC256	2"	10,000	Fits 3" ID channel	\$ 59. 95
TCC258	25/16"	21,000	Fits 3" ID channel	\$82.95
TCCK259	21K pla	ted couple	er channel mount kit, 12" height	\$130. ⁹⁵
TCC257	Replacement jaw and latch assembly			\$ 39. 95
HPK4	%" bolt kit for TCC258 (4 bolts)			\$12. ⁹⁵
HAPS24	Safety snapper pin for Demco EZ-Latch, 5/16" x 4"			\$1.59
HRL1130	Infinite Rule latch lock for Demco EZ-Latch			\$52.63

Channel-Mount Couplers



TCC250 •2 bolt mount

TCC252

- •Rugged cast steel
- •Fits standard 3" ID channels
- •TCC252: GEN-Y Self-latching Snap Latch design

ITEM#	MFG#	Ball size	Rating		Price
TCC246	A200C 0317	2"	8,000	Cast	\$133. ⁹⁵
TCC248	A256C 0317	25/16"	14,000	Cast	\$138.95
TCC249	CTA-280	25/16"	15,000	Cast	\$ 81. 95
TCC250	CTA-321	25/16"	21,000	Cast	\$84.95
TCC252	GH-24001	25/16"	21,000	Cast	\$234.97
TCC247	Replacement ja	w and latch	assembly f	or TCC248	\$39.95
HPK3	%" bolt kit for 2	2 bolt channe	el accessori	ies	\$ 9. 99

Channel Mounts







HPC144	3-position, 14K, 3/8" thickness	\$ 16. 95
HPC143	3-position, 20K, 3/8" thickness	\$ 21. ⁹⁵
HPC142	3-position, 30K, 1/2" thickness	\$ 45. 95
HPC147	5-position, 14K, %" thickness	\$ 24. 95
HPC148	5-position, 15K, 7/16" thickness	\$ 35. 95
HPC146	5-position, 20K, 3/8" thickness	\$ 29. 95
HPC145	5-position, 30K, ½" thickness	\$ 66. 95
HPC149	7-position, 20K, 3/8" thickness	\$ 49. 95
HPK3	%" bolt kit for 2 bolt channel accessories	\$ 9. 99

Heavy Duty Duplex





•Single latch unit includes 5-position mounting channel with bolts HPDH2515 Heavy Duty with 25/16" ball, 30k \$259.95 Replacement ball for Wallace Heavy Duty duplex pintle HLTHC 25/16" x 11/4" x 3" Replacement ball, 30k \$46.95

Channel-Mounted Rings and Clevises



•Fits stand	lard 3" ID channels	PR330	
HPR142	Pintle ring, 10 ton, 2 bolt mount, 2½" ID	1,000 V.L.	\$ 57. 95
HPR143	Pintle ring, 15 ton, 2 bolt mount, $2\frac{1}{2}$ " ID	2,000 V.L.	\$60.95

 HPR330
 Pintle ring, 12½ ton, 2 bolt mount, 3" ID
 3,000 V.L.
 \$46.95

 HPC202
 Clevis, 8 ton, 2 bolt mount, ¾" pin hole
 \$50.95

 HPC200
 Clevis, 10 ton, 3 bolt mount, 1" pin hole
 \$72.95



Stamped Channel-Mount Couplers





HATCCC

- •2 bolt mount
- •Stamped steel
- •Fits standard 3" ID channels

ITEM#	MFG#	Ball size	Rating		Price
HATCBB	A200S 0303	2"	8,000	Bulldog	\$45.95
HATCCC	CTA-400	25/16"	14,000	RAM	\$43.95
HPK3 %" bolt kit for 2 bolt channel accessories				\$ 9. 99	

Rigid Channel-Mount Coupler





- •Fits standard 3" ID channel
- •Bolts draw coupler tight to channel
- •Eliminates all rattle and clanking!
- Hex-shaped nut indents for easy, one-wrench install

1	11		
TCC245	25/16" ball coupler	12,500 lb	\$ 149. 95

GEN-Y Contractor Channel Mount







- •Rubber torsion provides 90% smoother ride
- Mounts to trailer channel; accepts channel mounted coupler
- •16,000 GTW, 1,000-1,700TW
- •Includes four grade 8 mounting bolts
- •100% Satisfaction Guaranteed!
- •5-year torsion warranty; Lifetime workmanship warranty!

/	/ ·	1	/	
HPCG21	Contractor Torsion		\$!	538. ⁹⁷

Stamped Flat-Mount Couplers







•Stamped steel

ITEM#	Ball size	Bolt pattern	Rating		Price
HATCB4	2"	4½" x 4½"	10,000	Wallace	\$109. ⁹⁵
HATCC4	25/16"	4½" x 4½"	14,000	RAM	\$ 61. 95
HATCC5	25/16"	6" x 4"	14,000	Wallace	\$133.95
HPK7	%" Bolt I	Kit for the coup	lers listed ab	ove	\$ 41. 95

Flat-Mount Couplers











- •Rugged cast steel
- •HATCC2: GEN-Y Self-latching Snap Latch design
- •HATCC8: Demco EZ Latch design

ITEM#	Ball size	Bolt pattern	Rating		Price
HATCC2	25/16"	4½" x 4½"	32,000	Cast	\$234.97
HATCC6	25/16"	4½" x 4½"	20,000	Cast	\$11 9. 95
HATCC7	25/16"	4½" x 4½"	20,000	Cast	\$93.95
HATCC8	25/16"	4½" x 4½"	21,000	Cast	\$110.95
TCC247	Replacen	nent jaw and lat	ch assembly	for HATCC6	\$ 39. 95
TCC257	Replacen	nent jaw and lat	ch assembly	for HATCC8	\$39.95
HPK7	%" Bolt Kit for the couplers listed above				\$41.95



Straight-Tongue Couplers

RAM





HATCB30

Dura	പ	zin.	fin		L
Dura	DIE	ZIIIC	111.	115	П

ITEM#	Ball size	Tongue width	Rating	Price
HATCA20	1%"	2"	2,000	\$ 17. 95
HATCA25	1%"	2½"	2,000	\$18.95
HATCA30	1%"	3"	2,000	\$ 19. 95
HATCB20	2"	2"	3,500	\$ 19. 95
HATCB25	2"	2½"	3,500	\$21.95
HATCB30	2"	3"	3,500	\$21.95
HATCB31	2"	3"	5,000	\$24.95
HATCB38	2"	3"	8,000	\$49.95
HATCCL01	1%" Couple	r Posi-Lock Repair	Kit	\$10.99
HATCCL02 2" Coupler Posi-Lock Repair Kit				\$10. ⁹⁹

A-Frame Tongue Couplers



TCA223

- •TCA203/TCA215: Demco EZ latch design
- •TCA223: GEN-Y Self-latching Snap Latch design

1 0112201	J		S on a Parent acordin		
ITEM#	Ball size	Rating	finish	jack hole	Price
HATC516	2"	5,000	light oil	no	\$27.95
HATC517	2"	5,000	light oil	yes	\$26.95
HATC518	2"	5,000	painted	yes	\$27.95
TCA203	2"	10,000	painted w/ chain mounts	yes	\$ 59. 95
HATCCL05	Couple	r latch rep	air kit for HATC518		\$11.99
HATC521	25/16"	14,000	light oil	no	\$34.95
HATC520	25/16"	14,000	light oil	yes	\$31.95
HATC519	25/16"	14,000	painted	yes	\$32.95
TCA215	25/16"	21,000	painted	yes	\$ 77. 95
TCA223	25/16"	21,000	painted	yes	\$234.97
TCC257	Replacer	nent jaw ar	nd latch assembly for TO	CA215	\$ 39. 95

Heavy Duty Straight-Tongue Couplers



ITEM#	Ball size	Tongue width	Rating		Price
HATCC30	25/16"	3"	15,000		\$138.95
HATCC32	25/16"	3"	21,000	EZ Latch	\$11 9. 95
TCC257	Replace	ment jaw and	latch assem	bly for HATCC32	\$39.95

Heavy Duty Sliding-Collar Couplers



•Heavy duty couplers feature a spring-loaded sliding locking collar which provide instant visual indication of proper closure.

ITEM#	Ball size	Mount	Rating	Price
HATC3B4	2"	3" channel	7,000	\$1 27. 95
HATC3B8	2"	A-frame	7,000	\$68.95
HATC4B4	25/16"	3" channel	12,500	\$134.95
HATC4B8	25/16"	A-frame	12,500	\$81.95

A-Frame Tongue Coupler



•Wrap around helmet design					
ITEM#	Ball size	Rating	finish		Price
HATC511	2"	8,000	painted	stamped	\$32.95



Stainless Steel Coupler Locks



•Use to lock trigger style trailer couplers to prevent theft.

HALS306	Coupler Lock, 1" Span	\$ 21. 95
HAL2847	Coupler Lock, 6 positions from 16" to 234"	\$13. ⁹⁵

Keyed Alike Lock Sets











- •Includes a coupler lock for your trailer
- •Locking pins fit 1¼" and 2" receiver sizes. (5%" and ½" pin sizes)
- •HAL3852/HAL3862 fit up to 2.5" receivers
- •HAL3862: Hardened steel coupler lock
- •HALS315 has smaller ¾" span coupler lock
- •HAL3794 includes two coupler locks (HAL379 and HAL2847) and a convenient heavy duty canvas storage bag

HAL2848	Keyed-alike lock set	\$ 29. 95
HALS315	Stainless Steel, Keyed-alike lock set	\$ 53. 95
HAL3794	Keyed-alike lock set	\$ 75. 95
HAL399	Keyed-alike lock set	\$ 59. 95
HAL3852	Keyed-alike lock set	\$84.95
HAL3862	Keyed-alike lock set	\$ 109. 95

Fortress® Coupler Lock







Lock in use

- •Limited lifetime warranty
- •100% water-tight lock housing
- Maintenance free (no lubrication required)
- •Inside clasp width is 41/2"

HAL380	1%", 2", or 25/16" Universal Coupler Lock	\$65.95
HAL380K	Same as HAL380 but keyed-alike!	\$66. ⁹⁵

Universal Coupler Lock





- \bullet HAL390: Inside clasp width is 3%
- •HAL392: Inside clasp width is 41/16"

HAL390	1%", 2", or 25/16" universal coupler lock	\$ 29. 95
HAL390K	Same as HAL390 but keyed-alike!	\$ 31. 95
HAL392	1%", 2", or 25/16" universal coupler lock, Heavy Duty	\$46. ⁹⁵

Universal Coupler Locks





HAL38

- •Deluxe Die Cast coupler lock
- •Dual ratchet locking system
- •Rugged corrosion resistant finish HAL386:
- •Premium solid hardened steel coupler lock
- •Ballistic grade nylon housing absorbs hammer blows & protects against weather

HAL385	UMAX50D	1%", 2", or $25/16$ " universal coupler lock	\$ 53. 95
HAL386	UMAX100D	1% ", 2 ", or $25/\!\!/_{16}$ "universal coupler lock	\$81.95





Trailer Coupler Latch Lock



•HRL1130: Does not work with Demco stamped steel couplers

HRL1130	Latch lock for Demco EZ Latch	\$52.63
HRL1106	Latch lock for up to $1\!\%$ wide latch, ¼" pin, $^{11}\!\!/_{16}$ depth	\$48.49
HRL1112	Latch lock for up to 1%" wide latch ,¼" pin, 11/16" depth	\$48.42

Tri-Ball Trailer Coupler Lock



- •Glass-filled polymer for high strength
- •Fits all standard coupler sizes
- •Adjusts from 1"-3" coupler span

HAL2850 Tri-Ball Trailer Coupler Lock



HAL389

\$29.95



HAL379

HAL379	1%", 2", or 25/16", universal coupler lock	\$39.95
HAL389	1%", 2", or 25/16", universal coupler lock, red	\$39.95
HAL3799	1%", 2", or 25/16", universal coupler lock, gray	\$46.95
HAL379K	Same as HAL3799 but keyed-alike!	\$ 51. 95

Heavy Duty Coupler Lock



•Secure with padlock HALEZ45

HALU:

•3-pin positions fit a huge variety of trailer couplers including, but not limited to: Atwood, Shelby, Fulton, & Dutton-Lainson.

HALEZ:

- •Fits "sliding collar" style couplers, such as Bulldog
- Easy to use lock for 2" or 25/16" heavy-duty trailer couplers

HALU	Heavy duty coupler lock, 4%" inside width	\$46. ⁹⁵
HALEZ	EZ lock for "sliding" collar couplers	\$40.95
HALEZ45	Stainless steel disc padlock, (not keyed alike)	\$14.95
HALEZ47	Stainless steel disc padlock, keyed alike!	\$14.95

Keyed Alike Lock Sets









- •Coupler lock fits all 3 ball sizes
- •HRL1633: 1-1/8" span latch lock
- •HRL1634: 1-5/8" span latch lock

HRL1118	Coupler lock only, Inside clasp width is 41/4"	\$105.25
HRL1634	Keyed alike coupler lock, latch lock, & 2-2½" receiver lock	\$192.87
HRL1633	Keyed alike coupler lock, latch lock, & 2-2½" receiver lock	\$1 92. 87

Universal Coupler Locks

Master



HAL37700	1%" or 2" universal coupler lock	\$ 52. 95
HAL37800	25/16" universal coupler lock	\$68.95

Padlocks





HALEZ46

HAL139

HALEZ45	Shrouded Disc Padlock, each, (not keyed alike)	\$14. ⁹⁵
HALEZ47	Shrouded Disc Padlock, each, keyed alike!	\$14.95
HALEZ46	Shrouded Disc Padlock, set of 3, keyed alike!	\$37.95
HAL139	Padlock, set of 3, keyed alike! 5/16" shackle dia.	\$ 21. 95

Trailer Door Locks & Tool Boxes



Trailer Door Bullet Latch Lock



- •Fits most cargo door hasps
- Made from high strength 6061 aircraft grade aluminum
- •Hardened ultra secure ¾" internal shackle; "It Can't Be Cut!"
- Securely covers the entire hasp and rivets
- •Full Lifetime Guarantee

HALD825 Trimax Bullet Door Lock

Trailer Door Lock



- •Securely covers the entire hasp and rivets
- •Foam gasket prevents rattling and scratching
- Heavy Duty aircraft aluminum. Will not rust!
- Available key-alike upon request

HALD80 Trailer Door Lock \$55.95

Security "Puck" Locks





HAL143

- •Includes two keys
- •Designed to cover & lock a trailer door latch
- Heavy-duty, chrome-plated steel lock

HAL142	Security Lock	\$28.95
HAL143	Security Lock, 2 pack, Keyed alike	\$ 66. 95

Under body Tool Boxes



- •Smooth steel with black finish
- •Diamond bright aluminum tread plate
- •Rotating T-handle with lock
- •Weather seal

ITEM#	Style	Α	В	C	Price
THB117	Steel	14	12	24	\$302.95
THB127	Steel	14	16	24	\$302.95
THB144	Steel	15	13	30	\$362.95
THB137	Steel	18	18	24	\$331.95
THB138	Steel	18	18	30	\$369.95
THB139	Steel	18	18	36	\$ 416. 95
THB1394	Steel	18	18	48	\$525.95
THB1396	Steel	18	18	60	\$ 627. 95
THB217	Aluminum	14	12	24	\$372.95
THB227	Aluminum	14	16	24	\$ 404. 95
THB237	Aluminum	18	18	24	\$448.95
THB238	Aluminum	18	18	30	\$ 479. 95
THB239	Aluminum	18	18	36	\$538.95
THB922	Replacement/Upgrade latch, 6"H x 5%"W				\$45.95
THB196	Mounting Bracket, 24" x 24" L brackets, sold by the pair				\$ 139. 95

THB196

Tool Box Latch



- Corrosion-resistant stainless steel construction
- •Includes installed lock and key set and gasket
- Cam adjusts from 11/4" to 2" for varying door thicknesses
- •4%"H x 4¾"W

THB902 T-Handle latch